

Name EMILCERAMICA GROUP porcelain tiles



Product ID Dry pressed ceramic porcelain tiles Classification 09 30 13.00 Finishes: Ceramic Tiling

Website www.emilceramicagroup.it

Manufacturer Emilceramica S.p.A. Contact Name Paola Miglioli
Address Via Ghiarola Nuova, 29 Title Mrs
Fiorano Modenese, (Modena) Phone +390536835111
41042 Email paola.miglioli@emilceramicagroup.it
Italy

Description This HPD cover all Emilceramicagroup brands: EMILCERAMICA, ERGON, PROVENZA, VIVA, ACIF.
We produce dry pressed ceramic tiles, with low water absorption (Eb<=0.5%), classified as Group BIa according with ISO 13006:2012 Annex G and EN 14411:2012 Annex G.
Emilceramica Environmental Management System is certified ISO 14001:2004 since 09/13/2011 by CERTIQUALITY, our Health and Safety Management System is also certified in compliance with BS OHSAS 18001:2007 by CERTIQUALITY since 07/10/2014.
We complete a cradle to grave LCA study for all our products verified by Third Party in compliance with ISO 14040:2006 e 14044:2006, since 05/30/2013.
There is a EPD available for all our products done in compliance with NF P01-010 and EN 15804 (www.inies.fr)

Release Date 2014-11-28
Expiry Date 2017-11-28
HPD URL https://tool.hpdcollaborative.org/uploads/files/hpds/1028/2384-20141128072141.pdf
Self-declared
Second Party
Third Party
Certifier
Certificate #

SUMMARY DISCLOSURE

The content of this product was assessed for health hazard warnings as required using Pharos

Residuals Disclosure Full Disclosure of Intentional Ingredients
Measured 100 ppm (ideal)
Measured 1000 ppm
Predicted by process chemistry
As per MSDS (1,000 & 10,000 ppm)
Not disclosed
Other
Full Disclosure of Known Hazards
Disclosure Notes
Yes No
Yes No

Contents in Descending Order of Quantity
SILICA, FUSED , Mullite (Al6O5(SiO4)2) , Aluminosilicate , SODIUM SILICATE

Hazards Highest concern GreenScreen score - List Translator Unspecified
PBT (Persistent Bioaccumulative Toxic)
Cancer
Gene Mutation
Development
Reproductive
Endocrine
Respiratory
Neurotoxicity
Mammal
Skin or Eye
Aquatic toxicity
Land toxicity
Physical hazard
Global warming
Ozone depletion
Multiple
Unknown

Total VOC Content

| | | | | | |
|-------------------------|-----|--|---|------------------------------|-----------------------------|
| Material (g/L) | N/A | Does the product contain exempt VOCs? | <input checked="" type="checkbox"/> N/A | <input type="checkbox"/> Yes | <input type="checkbox"/> No |
| Regulatory (g/L) | N/A | Are there VOC-free tints available? | <input checked="" type="checkbox"/> N/A | <input type="checkbox"/> Yes | <input type="checkbox"/> No |

Notes

Certifications + Compliance

| | | | |
|----------------------|--|--------------------|-----|
| VOC Emissions | Zero VOC emissions - independent lab report - CDPH/EHLB Standard Method V1.1 | VOC Content | N/A |
| Management | ISO 9001 | | |

The HPD Standard is solely a declaration of product content and direct health hazards associated with exposure to its individual contents. It is not a full assessment of environmental impacts from the life cycle of this product. It is not an assessment of risks associated with actual use of the product. It does not address the potential health impacts of substances used or created during manufacture that do not appear in the final product as residuals, nor substances created during combustion or other degradation processes.

This Health Product Declaration was generated following the requirements of the noted Standard version and is valid for a total of three years after date of issue or three months after a substantive change of product contents occurs. Users should verify that this Health Product Declaration is compliant with the most current version of the HPD Standard. Accuracy of claims made in this Health Product Declaration is the sole responsibility of the listed manufacturer and certifier (if applicable). The HPD Collaborative does not warrant any claim made herein, explicit or implicit. The HPD Standard is an "open standard" developed and managed by the HPD Collaborative, a nonprofit organization. For more information, visit hpdcollaborative.org.

CONTENT IN DESCENDING ORDER OF QUANTITY

All ingredients must be assessed for health warnings against Priority Hazard Lists, regardless of disclosure level.

Priority Hazard Lists and information on the GreenScreen Benchmarks can be found at www.hpdcollaborative.org/hazardlists.

GS: GreenScreen Benchmark; **RC:** Recycled Content, **PC:** Post Consumer, **PI:** Post Industrial (Pre-consumer), **BO:** Both; **Nano:** comprised of nanoscale particles or nanotechnology

| Name | CAS RN | % weight | GS | RC | Nano | Role |
|---|---|-----------|------|----|------|--|
| Hazard A | Warning A | | | | | |
| Hazard B | Warning B | | | | | |
| Hazard C | Warning C | | | | | |
| Hazard D | Warning D | | | | | |
| Hazard E | Warning E | | | | | |
| Notes | | | | | | |
| SILICA, FUSED | 60676-86-0 | 75 - 85 % | LT-U | N | N | raw material for body after firing |
| None found | No warnings found on HPD Priority lists | | | | | |
| The ceramic Tiles are fired more than 1200 °C and so are classified as "inert", because they are fully vetrified. | | | | | | |
| Mullite (Al₆O₅(SiO₄)₂) | 1302-93-8 | 10 - 15 % | LT-U | N | N | Raw material for the body after firing |
| None found | No warnings found on HPD Priority lists | | | | | |
| The ceramic Tiles are fired more than 1200 °C and so are classified as "inert", because they are fully vetrified. | | | | | | |
| Aluminosilicate | 1327-36-2 | 5 - 10 % | LT-U | N | N | raw material for body after firing |
| None found | No warnings found on HPD Priority lists | | | | | |
| The ceramic Tiles are fired more than 1200 °C and so are classified as "inert", because they are fully vetrified. This percentage include also "plagioclase" (close to 8%). | | | | | | |
| SODIUM SILICATE | 1344-09-8 | R | LT-U | | | Additive - Non-reactive |
| None found | No warnings found on HPD Priority lists | | | | | |
| This component is used in a very low percentage in order to improve the raw material wet grinding with water. | | | | | | |

CERTIFICATIONS AND COMPLIANCE

Certifying Party = First: Manufacturer's self-declaration; Second: Verification by trade association or other interested party; Third: Verification by independent certifier (ideal).

Applicable facilities = Manufacturing sites to which testing applies.

| Type | Standard or Certification | Certifier or Laboratory |
|------|---------------------------|-------------------------|
| | | |

| | Certifying Party | Issue Date | Expiry Date | Certificate URL |
|------------------|---|------------|-------------|--|
| | Applicable Facilities | | | |
| | Notes | | | |
| VOC Emissions | Zero VOC emissions - independent lab report - CDPH/EHLB Standard Method V1.1 | | | Berkeley Analytical |
| | 1st party manufacturer claim | 2008-03-04 | 2015-12-31 | https://tool.hpdcollaborative.org/uploads/files/certifications/1028/1417169421.pdf |
| | All | | | |
| | LEED_V4 EQc2 low emitting materials Emission and Content requirements - Inherently nonemitting sources. Products that are inherently nonemitting sources of VOCs are considered fully compliant without any VOC emissions testing if they do not include integral organic-based surface coatings, binders, or sealants. In any case we arrange test to confirm this statement and is attached | | | |
| VOC Content | N/A | | | |
| | | | | |
| | | | | |
| Recycled Content | Not tested | | | |
| | | | | |
| | | | | |
| Management | ISO 9001 | | | unspecified |
| | | 1997-07-25 | 2015-09-19 | emilceramica.s3.amazonaws.com/downloads/UNI_EN_ISO_9001-2008_COMPLETE_-_New.pdf |
| | All | | | |

ACCESSORY MATERIALS

This section is for additional products required by warranty or recommended by the manufacturer for installation (such as adhesives, fasteners, or factory coatings) or for maintenance, cleaning, or operations. Refer to Health Product Declarations, published separately, for a complete view of these products.

Note: This declaration is not intended to address hazards of the installation process.

| Required or Recommended Product | URL for Companion Health Product Declaration |
|---|--|
| Condition when required or recommended and/or other notes | |
| FILACleaner | |
| A detergent for all floors: essential for after installation cleaning of acid sensitive material such as polish natural stone or polish agglomerates (see http://www.filasolutions.com/index.php?cultureKey=en&q=products/full-range/cleaning-products/) | |
| Adhesives and grouts | |
| Adhesive: mixture of hydraulic binding agents, aggregates, and organic additives, to be mixed with water or liquid admix just before use, for installation of tiles. Grout: mixture of hydraulic binding agents, aggregates, inorganic and organic additives used to fill the joints between tiles. | |

NOTES

